PRINTED: 08/17/2012 FORM APPROVED

OF DEFICIENCIES CORRECTION OVIDER OR SUPPLIER ONE HEALTH CARE	(X1) PROVIDER/SUPPLIE IDENTIFICATION NU	ER/CLIA MBER:	A. BUILDING		(X3) DATE : COMPL	SURVEY .ETED	
	TN8204			(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
			B. WING		C 09/16/2012		
NE HEALTH CARE			TREET ADDRESS, CITY, STATE, ZIP CODE		08/16/2012		
	CENTER	181 DUNLA BLOUNTVII	AP ROAD, P LLE, TN 37	O BOX 1133 617			
SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		'FINT	ID PREFIX TAG			(X5) COMPLE DATE	
nitial Comments			N 000			<u> </u>	
dealth Care Center deficiencies were c	r on August 16, 2012 ited under 1200-8-6.	no					
C/O: #30109							
						İ	
						İ	
						<u>!</u>	
					!	[
						<u> </u> 	
					•	 	
	Ouring a complaint lealth Care Centel leficiencies were of the complete of the	Ouring a complaint investigation at Grey Health Care Center on August 16, 2012 deficiencies were cited under 1200-8-6, Standards for Hospitals. C/O: #30109	During a complaint investigation at Greystone lealth Care Center on August 16, 2012, no deficiencies were cited under 1200-8-6, Standards for Hospitals. C/O: #30109 The Gare Facilities August 2004	During a complaint investigation at Greystone dealth Care Center on August 16, 2012, no lefticiencies were cited under 1200-8-6, standards for Hospitals. C/O: #30109 To Gare Facilities Administration of Complete Standards Administration of Complete Standar	nitial Comments During a complaint investigation at Greystone leath Care Center on August 16, 2012, no leficiencies were cited under 1200-8-6, standards for Hospitals. C/O: #30109 Index Facilities Administration Title 830	During a complaint investigation at Greystone leath Care Center on August 16, 2012, no leficiencies were cited under 1200-8-6, standards for Hospitals. C/O: #30109	

5WPP11